



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)  
☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com




## Test Report


Report No. :	TR/1695/2021/F/316	Issue Date : 14 Apr 2021
ULR No. :	TC-667321000001089F	
Name & address of the Customer :	M/S. Agrigators Trading LLP I Wing, Flat No.502, Shefalika Heights, Shivirth Nagar, Kothrud, Paud Road, Pune - 411038 Maharashtra Email: agrigatorstrading@gmail.com	
Discipline :	Chemical and Biological Testing	
Group :	Food and Agricultural Products	
Sample :	Pasteurised Desi Cow Milk	
# Sample Details	Brand Name	Indigau Desi Cow Milk

Note : #The information provided by customer

Particulars	Details		
Reference No.	Test Request Form dated 07.04.2021		
Date of Receipt	07 Apr 2021	Reg No.	1695/316
Analysis_Start Date	07 Apr 2021	Analysis_End Date	14 Apr 2021

SINo	Parameters	Results	Specifications	Methods
<b>Chemical &amp; Physical</b>				
1	Milk Fat	3.9 %	Min 3.2 %	FSSAI Lab Manual (Milk and Milk Product)
2	Milk Solid Not Fat (SNF)	8.6 %	Min 8.3 %	FSSAI Lab Manual (Milk & Milk Products)
<b>Microbiology</b>				
3	Coliform Count	<10 CFU/ml	m=<10 CFU/ml, M=NA	IS 5401(Part 1):2002
4	Salmonella	Absent/25ml	m=Absent/25ml, M=NA	IS 5887 (Part 3):1999
5	Listeria monocytogens	Absent/25ml	m=Absent/25ml, M=NA	ISO 11290 (1) : 2017
6	Total plate count	4.5 x 10 <sup>2</sup> CFU/ml	m=3x10 <sup>4</sup> CFU/ml, M=5X10 <sup>4</sup> CFU/ml	IS 5402 : 2012
<b>Heavy Metals</b>				
7	Lead	< 0.02 mg/kg	Max 0.02 mg/kg	SOP/MAARC/ICPMS/FOODS Issue date 11/01/2018

  
Ms. Chetana Pawar  
Authorised Signatory  
(Biological)

  
Dr. (Ms.) Sar. Keskar  
Authorised Signatory  
(Chemical)

Continue...  
Page 1 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com



Certificate No.  
TC-6673

## Test Report

Report No. : TR/1695/2021/F/316

Issue Date : 14 Apr 2021

ULR No. : TC-667321000001089F

SINo	Parameters	Results	Specifications	Methods
8	Copper	< 0.1 mg/kg	Max. 30.0 mg/kg	SOP/MAARC/ICPMS/FOODS Issue date 11/01/2018
9	Arsenic	< 0.04 mg/kg	Max 0.1 mg/kg	SOP/MAARC/ICPMS/FOODS Issue date 11/01/2018
10	Tin	< 0.1 mg/kg	Max. 250 mg/kg	SOP/MAARC/ICPMS/FOODS Issue date 11/01/2018
11	Cadmium	< 0.04 mg/kg	Max. 0.1 mg/kg	SOP/MAARC/ICPMS/FOODS Issue date 11/01/2018
12	Mercury	< 0.04 mg/kg	Max. 1.0 mg/kg	SOP/MAARC/ICPMS/FOODS Issue date 11/01/2018
13	Methyl mercury	< 0.1 mg/kg	Max 0.25 mg/kg	SOP/MAARC/Methyl mercury/ICPMS, Issue Date 16/06/2019
<b>Crop Contaminant</b>				
14	Aflatoxin M1	< 0.2 µg/L	0.5 µg/L	SOP/MAARC/Aflatoxin M1/HPLC:2015
<b>Other Contaminants</b>				
15	Melamine	< 2 mg/L	2.5 mg/L	SOP/MAARC/Melamine/LCMS
<b>Pesticide Residue</b>				
16	2,4 Dichlorophenoxy acetic acid,ug/L	< 0.02 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 Issue date 01/02/2015 based on AOAC 970.52 18th Edition and AOAC 2015.03
17	Acephate(Expressed as mixture of methamidophos and acephate)	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 Issue date 01/02/2015 based on AOAC 970.52 18th Edition and AOAC 2015.03

Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...

Page 2 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com




## Test Report

Report No. : TR/1695/2021/F/316

Issue Date : 14 Apr 2021

ULR No. : TC-667321000001089F

SINo	Parameters	Results	Specifications	Methods
18	Acetamiprid	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 based on AOAC 970.52 18th Edition and AOAC 2015.03
19	Azoxystrobin	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
20	Benomyl (expressed as sum of Benomyl and Carbendazim)	< 0.01 mg/L	Max 0.1 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
21	Bifenthrin	< 0.01 mg/L	Max 0.2 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
22	Bifenthrin	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
23	Buprofezin	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
24	Carbaryl	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

  
Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...  
Page 3 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com




Certificate No.  
TC-6673

## Test Report

Report No. :	TR/1695/2021/F/316	Issue Date :	14 Apr 2021
ULR No. :	TC-667321000001089F		

SINo	Parameters	Results	Specifications	Methods
25	Carbendazim	< 0.01 mg/L	Max. 0.10 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
26	Carbofuran (Sum of carbofuran and 3 hydroxy carbofuran expressed as carbofuran)	< 0.01 mg/L	Max. 0.05 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
27	Chlorantraniliprole	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
28	Chlorothalonil	< 0.01 mg/L	Max 0.07 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
29	Chlorpyrifos	< 0.01 mg/L	Max. 0.02 mg/L	SOP/MAARC/PR/MILK/01
30	Cypermethrin ( Sum of isomers) (Fat soluble residue)	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
31	Deltamethrin (Decamethrin)	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
32	Chlothianidin ( Chlothianidin and its metabolites Thiazolymethylguanidine(TMG), Thiazomethylurea(TZMU), Methylnitroguanidine (MNG)TMG)	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

  
Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...  
Page 4 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com



## Test Report

Report No. : TR/1695/2021/F/316

Issue Date : 14 Apr 2021

ULR No. : TC-667321000001089F

SINo	Parameters	Results	Specifications	Methods
33	Dichlorvos (DDVP) ( Content of dichloroacetaldehyde (D.C.A) be reported where possible)	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
34	Dimethoate	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
35	Dinotefuran	< 0.01 mg/L	Max 0.1 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
36	Dithiocarbamates ( the residues tolerance limit are determined as expressed as mg/ CS2/kg and refered separately to the residues arising from anv or each of dithiocarbamate)	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
37	Edifenphos	< 0.01 mg/L	Max. 0.01 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
38	Emamectin Benzoate	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 Issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
39	Ethion ( residues to be determined as ethion and its oxvaen analoque and expressed as ethion)	< 0.01 mg/L	Max 0.5 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 Issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...

Page 5 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55


E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com



## Test Report

Report No. :	TR/1695/2021/F/316	Issue Date :	14 Apr 2021
ULR No. :	TC-667321000001089F		

SINo	Parameters	Results	Specifications	Methods
40	Ethofenprox ( Etofenprox)	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
41	Fenpropathrin	< 0.01 mg/L	Max 0.1 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
42	Fenvalerate ( Fat soluble residue)	< 0.01 mg/L	Max 0.01 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
43	Fipronil	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
44	Flubendiamide	< 0.01 mg/L	Max 0.1 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
45	Flusilazole	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
46	Glufosinate ammonium	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

  
Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...  
Page 6 of 10

- Sampling was not done by MAARC-LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com




Certificate No.  
TC-6673

## Test Report

Report No. :	TR/1695/2021/F/316	Issue Date :	14 Apr 2021
ULR No. :	TC-667321000001089F		

SINo	Parameters	Results	Specifications	Methods
47	Imidacloprid	< 0.01 mg/L	Max 0.1 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
48	Indoxacarb	< 0.01 mg/L	Max 0.1 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
49	Kresoxim methyl	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
50	Methomyl	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
51	Methyl chlorophenoxy acetic acid (MCPA)	< 0.01 mg/L	Max 0.04 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
52	Metolachlor	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
53	Monocrotophos	< 0.01 mg/L	Max. 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

  
Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...  
Page 7 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhgad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com




Certificate No.  
TC-6673

## Test Report

Report No. :	TR/1695/2021/F/316	Issue Date :	14 Apr 2021
ULR No. :	TC-667321000001089F		

SINo	Parameters	Results	Specifications	Methods
54	Oxydemeton-Methyl	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
55	Penconazole	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
56	Phenthoate	< 0.01 mg/L	Max. 0.01 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
57	Phorate (sum of phorate, its oxygen analogue and their sulfoxides and sulphones, expressed as phorate)	< 0.01 mg/L	Max. 0.05 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
58	Pirimiphos methyl	< 0.01 mg/L	Max. 0.05 mg/L (Fat basis)	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
59	Propiconazole	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
60	Pyraclostrobin	< 0.01 mg/L	Max 0.03 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

  
Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...  
Page 8 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.





# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55


E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com



## Test Report

Report No. :	TR/1695/2021/F/316	Issue Date :	14 Apr 2021
ULR No. :	TC-667321000001089F		

SINo	Parameters	Results	Specifications	Methods
61	Tebuconazole	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
62	Thiacloprid	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 Issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
63	Thiamethoxam	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
64	Thiophanate-Methyl	< 0.01 mg/L	Max 0.05 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
65	Triadimefon	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
66	Tricentanol	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
67	Difenoconazole	< 0.01 mg/L	Max 0.02 mg/L	SOP/MAARC/PR/MILK/01 issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

  
Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

Continue...  
Page 9 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.



# MAARC LABS PVT. LTD.

Plot No. 1 & 2, Gat No. 27, Nanded Phata, Sinhagad Road, Pune - 411 068. (INDIA)

☎ : +91 7447425952 / 53 / 54 / 55

E-mail : maarclabs.pune@gmail.com • maarclab@gmail.com • Visit us at : www.maarclabs.com



Certificate No.  
TC-6673

## Test Report

Report No. :	TR/1695/2021/F/316	Issue Date :	14 Apr 2021
ULR No. :	TC-667321000001089F		

SINo	Parameters	Results	Specifications	Methods
68	Paraquat Dichloride	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 Issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03
69	Trichlorfon	< 0.01 mg/L	Max 0.01 mg/L	SOP/MAARC/PR/MILK/01 Issue date 01/02/2015 Based on AOAC 970.52 18th Edition & AOAC 2015.03

Remarks : No Deviation/Addition in the method

c- Maximum allowable number of units having micro counts above m. m- Microbial limit that may be exceeded number of units c. M- Microbial limit that no sample unit may exceeded.

Specifications as per FSSAI. (Under Milk & Milk Products).

Dr. (Ms.) Sai Keskar  
Authorised Signatory  
(Chemical)

\*\*\*\* ...End

Page 10 of 10

- Sampling was not done by MAARC LABS PVT. LTD. The results relate only to the samples tested in the laboratory.
- This analysis report shall not be reproduced except in full, without written approval of MAARC LABS PVT. LTD.